

Non Delivery Report

From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 9/19/2019 10:44:57 PM
To: Ex. 6 Personal Privacy (PP)
Subject: Undeliverable: Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one associated proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site
Attachments: Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one associated proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site

Your message did not reach some or all of the intended recipients.

Subject: Requesting public comment on two Underground Injection Control (UIC) Draft Area Permits and one associated proposed aquifer exemption decision for the Dewey-Burdock uranium in-situ recovery (ISR) site
Sent: 9/19/2019 10:44:58 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 9/19/2019 10:44:58 PM

Diagnostic code = MtsCongested; Reason code = TransferFailed; Status code = 540
<#5.4.317 smtp;550 5.4.317 Message expired, cannot connect to remote server>

Delivery has failed to these recipients or groups:

Ex. 6 Personal Privacy (PP)

Your message wasn't delivered. Despite repeated attempts to deliver your message, a connection to the remote server couldn't be made.

Contact the recipient by some other means (by phone, for example) and ask them to tell their email admin that it appears that your email system is unable to connect to their email system. Give them the error details shown below. It's likely that the recipient's email admin is the only one who can fix this problem.

For more information and tips to fix this issue see this article:
<https://go.microsoft.com/fwlink/?LinkId=389361>.

Diagnostic information for administrators:

Generating server: DM6PR09MB2650.namprd09.prod.outlook.com
Receiving server: DM6PR09MB2650.namprd09.prod.outlook.com

Ex. 6 Personal Privacy (PP)

9/19/2019 10:44:57 PM - Server at DM6PR09MB2650.namprd09.prod.outlook.com returned '550 5.4.317 Message expired, cannot connect to remote server(451 4.4.0 Socket error ConnectionReset)'
9/19/2019 10:34:48 PM - Server at arcolution.com (198.71.232.3) returned '450 4.4.317 Cannot connect to remote server'

[Message=451 4.4.0 Socket error ConnectionReset] [LastAttemptedServerName=arcolution.com]
[LastAttemptedIP=198.71.232.3:25] [BLOGCC02FT009.eop-gcc02.prod.protection.outlook.com](451 4.4.0 Socket error
ConnectionReset)'

Original message headers:

ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=EWM4S42ocGXN4884GsFMTimCYnVw/yhllbUDvpzRaBvhnQnnOCfAEXigmfA05Z8eu5pmSygEOVENVoYU5zFsIEw
n3tHT5Q3E77YeS6KHMGW7dM/vowTTYiSw9hpwXesafO4YPDS0d7djoSDaVJTbIsLwAXFQIU9RjkCdbgu3xi4+GIY
ikt0NP/F9h4EPdJrwni7vXrs1jHK9z8gpORhYJvO7+UwtYsmUAJcQ3HcQZ8uLnkOsnDhuPtlX2D2cZX5AAwnS5plf
V4OT9tLoj84plrmnlcAesfM+JXo2rgcSl9iI//lOk4SJboanWlPwBfnFTkrVS3nlntR6tDikN7Lw==

ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
s=arcselector9901;
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
bh=NH1ile2GXvJF62JfJk1JGikAhAp5P256ZEE+9MslFQA=;

b=CE2IpR1ZXhAyukpGlaHMFcYrPQIdHLZdmfTb819g+DkCHqjDwWlp9OdnJQKVeRCJOnNLagdbdQCgjiLvMZB7rJR
/u3x2/AG4+2SiBog7PevJTWFT3ZUDAPqCV9TOs2CzqdXjFN/cdmi7pcnUnfiU7pQm8JMvjCGIcxHy2J/xsx4I9tOP
7dCE+Kyy/5Vl0P2MD2dR+NPq0Sigf22n3CDWiojjFrGF3K44bq3EVPYk4rP4rgyB0u4CQceDFa17r1H7Lt7dSWLcT
h0ozS/dPDKJC5AoH+7MeXj8jh4N2QRHVsnWNPX+qxcFYnNbVf0WmKd83B3Ha1fa3pYXyLdKKqVfXA==

ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkin=pass
header.d=epa.gov; arc=none

DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
bh=NH1ile2GXvJF62JfJk1JGikAhAp5P256ZEE+9MslFQA=;

b=HVmekeS3ThlQ0HlncGfqbM440+FmPR5EDIXkySXCSlQrCmdV2D6QoOTUHLsExl9Z4268EynWooy0fvmA/EcllH3
mcMBnPWauHS1pboDnVrjI7F18Pmo4kh9XfvCW7YuDZP6lguHtkC8gjZVhHidR6v0px1UOn0TPa4CyIqe/ehQ=

Received: from DM6PR09MB4076.namprd09.prod.outlook.com (10.141.167.74) by
DM6PR09MB2650.namprd09.prod.outlook.com (20.176.98.26) with Microsoft SMTP
Server (version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id
15.20.2284.18; Wed, 18 Sep 2019 22:37:42 +0000

Received: from DM6PR09MB4076.namprd09.prod.outlook.com
([fe80::9839:cd8:2688:2341]) by DM6PR09MB4076.namprd09.prod.outlook.com
([fe80::9839:cd8:2688:2341%3]) with mapi id 15.20.2284.009; Wed, 18 Sep 2019
22:37:42 +0000

From: "Robinson, Valois" <Robinson.Valois@epa.gov>

Subject: Requesting public comment on two Underground Injection Control (UIC)
Draft Area Permits and one associated proposed aquifer exemption decision for
the Dewey-Burdock uranium in-situ recovery (ISR) site

Thread-Topic: Requesting public comment on two Underground Injection Control
(UIC) Draft Area Permits and one associated proposed aquifer exemption
decision for the Dewey-Burdock uranium in-situ recovery (ISR) site

Thread-Index: AdvucUzuEc5qyRn/RlmUEZ7+jIXOcg==

Date: Wed, 18 Sep 2019 22:37:40 +0000

Message-ID:

<DM6PR09MB4076AB5D75FBA1B735FFF801F48E0@DM6PR09MB4076.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach: yes

X-MS-TNEF-Correlator:

authentication-results: spf=none (sender IP is)

smtp.mailfrom=Robinson.Valois@epa.gov;

x-originating-ip: [24.8.243.57]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 5b8c9be3-4d81-4097-8f08-08d73c88d19c

x-microsoft-antispam:

BCL:0;PCL:0;RULEID:(2390118)(7020095)(4652040)(8989299)(4534185)(4627221)(201703031133081
) (201702281549075)(8990200)(5600167)(711020)(4605104)(1401327)(2017052603328)(49563074)(7
193020);SPVR:DM6PR09MB2650;

x-ms-traffictypediagnostic: DM6PR09MB2650;
x-ms-exchange-purldatacount: 1
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
<DM6PR09MB265025E5D622989F97EA33ACF48E0@DM6PR09MB2650.namprd09.prod.outlook.com>
x-ms-cob-tlc-cobclassifiers: OLM:7219;
x-forefront-prvs: 01644DCF4A
x-forefront-antispam-report:
SFV:NSPM;SFS:(10019020)(346002)(376002)(366004)(136003)(396003)(39860400002)(37874003)(19
9004)(189003)(733005)(66576008)(66946007)(66476007)(7696005)(6306002)(54896002)(6436002)(
6506007)(71200400001)(9686003)(55016002)(74316002)(86362001)(71190400001)(256004)(1444400
5)(5024004)(26005)(99936001)(1671002)(7736002)(236005)(99286004)(5660300002)(102836004)(1
86003)(66556008)(33656002)(606006)(881003)(790700001)(76116006)(2906002)(64756008)(525360
14)(66446008)(19627405001)(486006)(81166006)(14454004)(25786009)(8936002)(7276002)(736600
2)(81156014)(7406005)(3846002)(966005)(8676002)(7416002)(76576003)(478600001)(861006)(887
32003)(316002)(89122003)(6116002)(65686005)(66066001)(109986005)(7336002)(476003);DIR:OUT
;SFP:1102;SCL:1;SRVR:DM6PR09MB2650;H:DM6PR09MB4076.namprd09.prod.outlook.com;FPR:;SPF:Non
e;LANG:en;PTR:InfoNoRecords;A:1;MX:1;
received-spf: None (protection.outlook.com: epa.gov does not designate
permitted sender hosts)
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam-message-info:
x2wqd+574qHw4umd9KGj+0E0uqOnrqYGVv6U9mjnSfufLGyd3kYL3e1H3hFzxrA87InMZY4qLPQk9KLLivx+k6l3Y
Zzevud08XphV5qPlsZanLHVZ432IcEdXA+82o0ksXPcnJpoY0J8FW7zbnkch96bCJ42jnqaYE8LzXI8UdXyZS47ukT
8V5xHYFY9jsIFQBB18J4H0dhESm6gevzTCcF0Wv+uy446L+uIlgMgSdbRyhUBD7Fn9lwN5l+c1FlgkZJbtFJ9ZC4u
zPZ7xO72n7TfzE9tXNrmie4leOLIUqzstY9XnOc7DIQSYC/TkUEoIjwT1JLMIOQ80KARfNqHX03nO9qi/Ydea/t9V
KLzUFjgaaDsKX48aCvoDEFPWKKrsJBE0aLHLanJUK3ONjCdnWk+LS7lze+yFK3U90GBPW0JE=
x-ms-exchange-transport-forked: True
Content-Type: multipart/mixed;
 boundary="___006___DM6PR09MB4076AB5D75FBA1B735FFF901F48E0DM6PR09MB4076namprd09.prod.outlook.com___"
MIME-Version: 1.0
X-OriginatorOrg: epa.gov
X-MS-Exchange-CrossTenant-Network-Message-Id: 5b8c9be3-4d81-4097-8f08-08d73c88d19c
X-MS-Exchange-CrossTenant-originalarrivaltime: 18 Sep 2019 22:37:41.3489
 (UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
CdWo4BJH5PLdMhdJ0aK6NZv3/RTsepoz/foZebOqQMdum46VnqYFebFty0ZmllwWzawb9nbMQIOE9cZS/LjEBA==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB2650